

SABS

Permit to Apply Certification Mark

Subject to the provisions of the Standards Act, 2008
(Act 8 of 2008), the relevant regulations made thereunder and the permit
conditions contained in the under mentioned schedules, this permit authorizes

THE MAMBA CEMENT COMPANY (PTY) LTD **Co Reg. 2010/022270/07** **HOUGHTON**

to apply the certification mark



in respect of the mark specification:

SANS 50197-1:2013
TO: CEMENT
PART 1: COMPOSITION, SPECIFICATIONS AND
CONFORMITY CRITERIA FOR COMMON CEMENTS

- This permit, including schedules 1 to 3 which form an integral part thereof;
- is issued without alteration;
 - is identified by the applicable permit number;
 - is subject to any condition or limitation contained therein;
 - is valid subject to ongoing compliance with permit conditions;
 - bears the embossed SABS Commercial seal. In the absence of the seal, the permit and the schedules shall be invalid; and
 - the permit may be authenticated by referring to the register of "Certified Clients" on the SABS Commercial website (www.sabs.co.za)

Permit Number 10545/16655


Effective Date 12 April 2025

Expiry Date 14 December 2027

Date of Original Registration 15 December 2015

Chief Executive Officer

A handwritten signature in black ink, appearing to be "M. P. M.", written over a horizontal line.



SCHEDULE TO PERMIT TO APPLY CERTIFICATION MARK

This permit is only applicable in respect of the permit holder, the factory, the mark specification, the commodity and the trade name or trade mark referred to in this schedule

Schedule 1
Page 1 of 2

1. Permit holder 1.1 Name 1.2 Name under which the business is conducted 1.3 Registration or the identity number	The Mamba Cement Company (Pty) Ltd The Mamba Cement Company (Pty) Ltd 2010/022270/07
2. Street address of factory at which the commodity is manufactured	Portion 53 of Farm Krokodilkraal 545 KQ Provincial Road D27-04 HOUGHTON
3. Mark Specification with which the commodity is required to comply	SANS 50197-1 / SABS EN 197-1 Cement Part 1: Composition, specifications and conformity criteria for common cements
4. Description of commodity to which the certification mark may be applied, and Brand name or Trade mark which may be used in conjunction with the certification mark	Cement - composition, specifications and conformity criteria for common cements CEM II A-M 42,5R MAMBA CEMENT AND CHAMPION Mamba Masonry Special Purpose Cement, Champion Masonry Cement
5. Quality management system with which consistent compliance is required	The quality management system relating to the production of the commodities identified in section 3 and 4 of this schedule must consistently meet the requirements of the nominated product specification, the requirements for a product certification system 5 certification scheme as per ISO 17067 and requirements of the general and specific permit conditions as detailed in schedules 2 and 3 of the permit Conformity evaluation in accordance with SANS 50197-2/SABS EN 197-2

SCHEDULE TO PERMIT TO APPLY CERTIFICATION MARK

This permit is only applicable in respect of the permit holder, the factory, the mark specification, the commodity and the trade name or trade mark referred to in this schedule

Schedule 1

Page 2 of 2

Record of amendments to permit

Original date of issue : 2015-12-15

Amendments

2016-05-25	The following commodity types added: CEM I 52,5N - MAMBA 95 CEM II A-V 42,5R - MAMBA 80 AND CHAMPION CEM II B-V 32,5R - MAMBA CEMENT AND CHAMPION
2017-10-17	The following commodity types added CEM II B-M 32,5R and CEM II A-M 42,5R
2018-11-30	a) Permit reissued with a new triennial expiry date b) Post permit audit date 26 July 2018 c) Last permit expiry date 15 December 2018
2021-12-08	a) Permit reissued with a new triennial expiry date b) Post permit audit date 18 August 2021 c) Last permit expiry date 14 December 2021
2025-04-12	a) Permit reissued with a new triennial expiry date b) Post permit audit date 16 July 2024 c) Last permit expiry date 14 December 2024 d) Removal of brands/commodities: CEM I 42,5R-Mamba Cement; CEM I 52,5N-Mamba 95; CEM II/B-M 32,5R-Mamba Cement/Champion; CEM II/B-V 32,5R-Mamba Cement/Champion; CEM II/A-V 42,5R-Mamba Cement/Champion/Mamba 80; CEM IV/B-V 32,5N-Mamba Cement/Champion; CEM IV/B-V 42,5N-Mamba Cement/Champion